

# Cleanliness refreshes your senses

PUDOL - Cleaning and maintenance products



# PUDOL





## Synthesis between tradition and progress


Already for more than 100 years, we have been working successfully in the cleaning supplies sector. Our guarantor for success is our wide range of cleaning and maintenance products for the most diverse cleaning jobs. The principle for the development of new product ideas is that cleanliness does not necessarily have to be achieved by neglecting ecological aspects. Therefore, responsibility for environment in development, production, and application has absolute priority for us.

Focussed on sustainability, we constantly strive to prefer renewable resources and natural products in the production, by what the biological degradability of the substances is reached too. Our slogan „we foster quality“ is not only a pure desire for us, but lived reality and principle for our day-by-day business.

Due to our long-term experience, our sound professional competence and the application of state-of-the-art computer-controlled production and test plants, we established the basis for the constantly high quality of our produced cleaning and care products. And this comes for a fair price for the customer. Special service performances, like development and optimisation of recipes, a 24 hours delivery service or accomplishing of product and application trainings make us to be the ideal partner in the field of the cleaning chemistry. We would like to convince you of our performances. Demand us!



PUDOL is a subsidiary of the Weiss Group.  
Please find more information in: [www.pudol.de](http://www.pudol.de)



## Agenda

### A solution for any demand

We are offering an appropriate solution for any conceivable cleaning and maintenance job. No matter whether you want to clean sensitive materials, or the most persistent pollution and dirt must be removed. Whatever you want to polish, we can offer you the suitable cleaning or maintenance product!



#### OUR PRODUCT RANGE & SERVICE PACKAGE

Product groups p. 4-5



#### SANITARY AREA

Fields of application p. 6-7  
Product overview p. 8-9



#### KITCHEN FOOD INDUSTRY & GASTRONOMY

Fields of application p. 10-11  
Product overview p. 12-13



#### KITCHEN DISHES AND GLASSES

Fields of application p. 14-15  
Product overview p. 16-17



#### LAUNDRY

Fields of application /  
Product overview p. 18-19




#### INDUSTRY / WORK-SHOP / STREET

Fields of application /  
Product overview p. 20-25



#### BUILDINGS CARPET & UPHOLSTERY

Fields of application p. 26-27  
Product overview p. 28-29



#### BUILDINGS FLOORING

Fields of application /  
Product overview p. 30-37



#### BUILDINGS GLASS / WINDOW / FACADE

Fields of application p. 38-39  
Product overview p. 40-41



#### VEHICLES

Fields of application p. 42-43  
Product overview p. 44-45



#### CLEANING OF HANDS

Fields of application /  
Product overview p. 46-47



#### HACCP PRODUCTS

Fields of application /  
Product overview p. 48-51





## A solution for any demand

We are offering an appropriate solution for any conceivable cleaning and maintenance job. No matter whether you want to clean sensitive materials, or the most persistent pollution and dirt must be removed.



### PUDOL SOFT

Mild cleaning agent for sensitive materials



### PUDOL POWER

Powerful cleaning agent for extreme pollution



### PUDOL CARE

Maintenance product for high gloss and hygiene



### PUDOL FRESH

Cleaning agent for cleanliness and fresh air



## Convincing service package with many advantages

In addition to a wide range of excellent cleaning and maintenance products for the most diverse fields of application, we would like to offer you the following services:




Recipe development and optimization



Private Label production with corresponding documentation



Provision of PUDOL standard products in all industrial sizes of trading units



Supply of product-specific accessories



24-hour delivery service



Product and application trainings



# Sanitary area

## Fields of application

### PUDOL FRESH

#### Sanitary Fresh-Smelling Cleaner

Item number: 0630

**Application:**  
Suitable for basins, tiles and fittings. Ideally applicable on stainless steel surfaces in canteen kitchens and indoor swimming pools.

### PUDOL FRESH

#### WC Clean-Plus

Item number: 0625

**Application:**  
Suitable for everyday cleaning. It removes dirt, skin fat and of soap scum as well as hard-water deposits (lime residues, rust).

### PUDOL FRESH

#### WC Clean Active Gel

Item number: 0626

**Application:**  
Suitable for sanitary cleaning. It removes dirt, skin fat and of soap scum as well as hard-water deposits (lime residues, rust) by itself.

### PUDOL POWER

#### Urine Scale Remover

Item number: 1150

**Application:**  
Suitable for toilet bowls, urinal channels and urinals. It immediately removes boiler and urine scale, limescale, and rust.

### PUDOL POWER

#### SB Pool and Sanitary Cleaner

Item number: 0620

**Application:**  
Suitable for basic and maintenance cleaning. It removes dirt, skin fat and of soap scum as well as hard-water deposits (lime residues, rust).

### PUDOL POWER

#### Rapid Cleaner

Item number: 0600

**Application:**  
It removes rough pollution. It removes rust, urine- and mineral scale on tiles, bathtubs, and facades in outdoor and indoor swimming pools. It removes cement and concrete residues.

### PUDOL FRESH

#### Mikro 211

Item number: 0640

**Application:**  
It is especially suitable for the sanitary area (shower, bathroom, toilet, sink, etc.) as well as for cleaning and removing of odours indoors/ outdoors (drains, siphons, entrance area, textiles, refuse containers/dustbins, façades, light shafts, pedestrian subways, etc.).

### PUDOL POWER

#### Scented WC Cleaner

Item number: 1130

**Application:**  
Suitable for toilets bowls, urinals, and urinal channels. For surface cleaning of wall and floor tiles (ceramics). Equally recommended for handbasins and fittings.





# Sanitary area

## Product overview



### PUDOL FRESH

#### Sanitary Fresh-Smelling Cleaner

Item number: 0630

**Product type:**

Mild sanitary fresh-smelling cleaner

**Nature of the product:**

Red liquid, fresh-smelling

**Packaging:**

1 l bottle: 0630-00100

10 l canister: 0630-01000

**Properties:**

Modern, fresh smelling sanitary cleaner with fruit acid. It does not only remove lime scales fast and effectively, but also disperses them to become microfine and in this way it allows cleaning without leaving residues. Corrosion-protective, maintaining properties for valuable chromium fittings. Striation-free surfaces also on enamel, ceramics, and glass. Dust-binding residues are not left. Cleaning with this sanitary fresh-smelling cleaner leaves a pleasant, long-lasting, fresh odour and is especially skin- and material-friendly. **Do not use it as concentrate for marble and other acid-sensitive materials.**

**Dosage:**

Apply a few undiluted squirts to a damp leather or textile damp leather or textile cloth, wipe off the material. Rubbing with a dry cloth increases the shine. *Large-area cleaning of wall and floor tiles or bathtubs:* Add 20 - 70 ml ml Sanifresh to 8 l water (0.25 - 0.9%). Remove coarse dirt, and especially grease, from stain-less surfaces.

### PUDOL FRESH

#### WC Clean-Plus

Item number: 0625

**Product type:**

Sanitary Cleaner

**Nature of the product:**

Blue, slightly viscous liquid

**Packaging:**

1 l bottle: 0625-00100

10 l canister: 0625-01000

**Properties:**

Low foam formation. Smooth surfaces dry with gloss. Free from hydrochloric acid! Pleasant odour. **Do not use it for marble, slate, Solnhofener plates, and acid-sensitive enamel surfaces.**

**Dosage:**

Depending on the degree of pollution, select a dilution of 1:30 to 1:10 (i.e. 3 - 10 %). For cleaning tiles, thoroughly water the joints beforehand.

### PUDOL FRESH

#### WC Clean Active Gel

Item number: 0626

**Product type:**

Gelatinous Sanitary Cleaner

**Nature of the product:**

Blue, gelatinous liquid

**Packaging:**

750 ml angle-neck bottle: 0626-00075

10 l canister: 0626-01000

**Properties:**

Low foam formation. Smooth surfaces dry with gloss. Free from hydrochloric acid! Optimum adhesion for intensive effect. New, modern odour! **Do not use it for marble, slate, Solnhofener plates, and acid-sensitive enamel surfaces.**

**Dosage:**

Sparingly distribute WC Clean Active Gel below the rim and in the WC bowl. Allow the gel to act, flush, ready. If the deposits are resistive, allow it to act overnight and re-brush. For cleaning tiles, thoroughly water the joints beforehand.

### PUDOL POWER

#### Urine Scale Remover

Item number: 1150

**Product type:**

Sanitary basic cleaner

**Nature of the product:**

Slightly yellowish liquid with characteristic odour

**Packaging:**

1 l bottle: 1150-00100

10 l canister: 1150-01000

**Properties:**

Particularly effective in extreme cases. It acts antiseptic and removes unpleasant odours. The product includes hydrochloric acid. **Do not use it as concentrate on acid-sensitive surfaces, e.g., marble, limescale, and Solnhofener plates. Not suitable for fittings and enamel.**

**Dosage:**

If deposits are very persistent, apply the product undiluted using a brush and allow it to act for 5 minutes. Thoroughly flush with water, repeat the procedure, if necessary, re-wipe with brush. *Thorough cleaning:* Dilution with cold water up to 10 %.

### PUDOL POWER

#### SB Pool and Sanitary Cleaner

Item number: 0620

**Product type:**

Pool and sanitary cleaner

**Nature of the product:**

Colourless, to slightly yellowish liquid

**Packaging:**

10 l canister: 0620-01000

**Properties:**

SB Pool and Sanitary Cleaner is a new special cleaner that is adapted to the hygienic demands of public sanitary systems, e.g., indoor/outdoor swimming pools, shower cabins, foot basins, tiled surfaces, fittings, etc. Low foam formation. Smooth surfaces dry with gloss. Free from hydrochloric acid! Due to the optimum degree of cleanliness, pathogenic germs, e.g., bacteria, will not find any breeding ground and with this, the preconditions for modern room hygiene are given. **Do not use it for marble, slate, Solnhofener plates, and acid-sensitive enamel surfaces.**

**Dosage:**

Depending on the degree of pollution, select a dilution of 1:30 to 1:10 (i.e. 3 - 10 %). For cleaning tiles, thoroughly water the joints beforehand.

### PUDOL POWER

#### Rapid Cleaner

Item number: 0600

**Product type:**

Acidic cleaner, cement veil remover

**Nature of the product:**

Colourless liquid

**Packaging:**

1 l bottle: 0600-00100

10 l canister: 0600-01000

**Properties:**

The Rapid Cleaner is an acidic cleaner with high efficiency. It does not leave any calcareous stains and is free from hydrochloric acid! **It is not suitable for acid-sensitive natural stones, such as marble, slate, and Solnhofener plates.**

**Dosage:**

*For cleaning of tiles, tubs, sanitary systems and swimming basins:* Select dilution 1:10 to 1:30 (3 - 10 %). *Lavatories, urinals, channels:* Apply undiluted and rinse with water; repeat the procedure, if necessary. *Final cleaning of buildings, cleaning of stone and concrete façades:* Dilution 1:10 to 1:20 (5 - 10 %), first thoroughly soak the joints with water. *Cleaning of drinking water storage containers (elevated tanks):* Dilution 1:10 to 1:30 (3 - 10 %). Thoroughly rinse with clear water.

### PUDOL FRESH

#### Mikro 211

Item number: 0640

**Product type:**

Microbiological cleaner and odour remover

**Nature of the product:**

Red liquid, with fresh odour

**Packaging:**

1 l bottle: 0640-00100

10 l canister: 0640-01000

**Properties:**

Special cleaner on microbiological basis for cleaning and removing of odours. This product is highly concentrated and can be used very efficiently. It removes odours sustainably. Regular usage supports the odour control.

**Dosage:**

*Spray method:* Dosage: Fill 20 ml in a spray bottle, spray it on, and rub it dry with paper or a towel. *Wet method:* Dosage: 20 - 40 ml per bucket, apply with swab or brush, let it act, and re-wipe with swab/scouring cloth. It is also suitable for dispenser systems.

### PUDOL POWER

#### Scented WC Cleaner

Item number: 1130

**Product type:**

Viscous sanitary and WC cleaner

**Nature of the product:**

Green, viscous liquid with fresh-tangy odour


**Packaging:**

1 l bottle: 1130-00100

10 l canister: 1130-01000

**Properties:**

WC Scented Cleaner cleans areas by itself that are difficult to access; it removes urine and mineral scale as well as lime scales. Adheres well on vertical surfaces. If applied regularly, it prevents the formation of limescale and urine scale, as well rust stains. It destroys accumulated bacteria, and unpleasant odour in toilets. It distributes pleasant freshness in the room. Free from hydrochloric acid! **Not suitable for all lime-based floorings like marble, slate, Solnhofener plates and travertine. Attention: Splashes immediately cause damages on these materials. Do not use on acid-sensitive enamel surfaces.**

**Dosage:**

*Cleaning of WC bowls, urinals:* Spray the concentrated product on the bowl wall and the drain, allow it to act for some minutes, scrub it away with a brush, if difficult to remove, use a scouring pad, flush with water. *Thorough cleaning:* Depending on the degree of pollution, select a dilution of 10 %, thoroughly water the joints beforehand. *Maintenance cleaning:* Pour 100 to 200 ml into 8 l of water (1 - 2.5 %).







# Kitchen

Food Industry & Gastronomy / Fields of Application

## PUDOL POWER

### Professional Kitchen Power Cleaner

Item number: 1920

**Application:**  
For the whole kitchen area, for household applications as well as for canteen kitchens. For porcelain, pots of stainless steel, aluminium or enamel, pans, and saucepans, as well as tables, doors, and tiles.

## PUDOL POWER

### Butcher's Shop Cleaner

Item number: 1900

**Application:**  
For cleaning of machines in the food industry, especially butchery equipment like machines, vessels, appliances, workbenches, wall tiles, floorings, and transport boxes. For canteen kitchens, hotels, and restaurants for cleaning of grills and deep fat fryers, frying pans, exhaust hoods, filters, etc.

## PUDOL POWER

### Cleaner for Bakeries

Item number: 1910

**Application:**  
For whole food area, especially machines, equipment, workbenches, ice machines, cream whippers, cake moulds, tiles of flooring and walls.

## PUDOL POWER

### Lime Dissolver

Item number: 1940

**Application:**  
Descaler for hot-water appliances, coffee machines,, water boilers, pots, etc.



## PUDOL POWER

### Dekrustan

Item number: 6765

**Application:**  
For removing of massive dirt deposits as well as burned-in oil and grease films. Applicable on all washable materials: Metal, stainless steel, plastics, ceramics, and concrete.

## PUDOL POWER

### Grill Cleaner

Item number: 6755

**Application:**  
For cleaning of grills, baking and cooking ovens, and deep fat fryers.

## PUDOL CARE

### Microsoft Care System

Item number: 6105

**Application:**  
For stainless steel, chromium, ceramics, enamel, plastics and all metals, especially suitable for ceramic glass hobs.

## PUDOL CARE

### Edol Stainless-Steel Polish

Item number: 6190

**Application:**  
For heavy-duty, commercial, stainless steel surfaces in the catering industry, hospitals and food-processing factories.



# Kitchen

## Food Industry & Gastronomy / Product Overview



### PUDOL POWER

#### Professional Kitchen Power Cleaner

Item number: 1920

**Product type:**  
Alkaline power cleaner

**Nature of the product:**  
Colourless liquid

**Packaging:**  
1 l bottle: 1920-00100  
10 l canister: 1920-01000

#### Properties:

Professional KK Kitchen Power Cleaner cleans all areas with super power, where usual detergents and cleaning agents are insufficient. a special combination of agents provides optimal dirt- and fat-dissolving properties, penetrates even very resistive fat films, and provides for hygienically clean surfaces without a great deal of work. It has been tested and approved for the application in food-processing factories or kitchens.



#### Dosage:

Some dashes in the washing water will be enough for slight pollutions. For very fatty pollutions we recommend adding of 50 - 150 ml in 10l of water. For parts with baked-on dirt, a higher concentrated, hot solution should act on for some hours. After that, re-wipe with a scouring pad.

### PUDOL POWER

#### Butcher's Shop Cleaner

Item number: 1900

**Product type:**  
Intensive cleaner, without added perfume

**Nature of the product:**  
Colourless liquid, neutral in odour and taste

**Packaging:**  
1 l bottle: 1900-00100  
10 l canister: 1900-01000

#### Properties:

Intensive cleaner with outstanding general cleaning effect, however, additionally, it has extremely strong fat-dissolving properties. Already in cold water it comes into full effect and improves further with increasing water temperature. Compared with a usual detergent, the activity of the Butchery Cleaner increases many times. It does not attack aluminium.



#### Dosage:

**Normal pollution:** 1% (1:100)  
**Extreme pollution:** up to 5% (1:20)  
It is purposeful to lay in parts with burned-in fat, inserts of exhaust hoods, frying pans. etc. overnight in an 1:1 diluted cleaner, and then they are washed with hot water. If necessary, use a scouring sponge. Thoroughly re-rinse all cleaned surfaces with water.

### PUDOL POWER

#### Cleaner for Bakeries

Item number: 1910

**Product type:**  
Intensive cleaner, without added perfume

**Nature of the product:**  
Colourless liquid, neutral in odour and taste

**Packaging:**  
1 l bottle: 1910-00100  
10 l canister: 1910-01000

#### Properties:

Highly effective cleaner with a wide range of application against pollutions of all kind, especially for fat, sugar, dough residues, as well as all usual organic substances. It does not attack aluminium. The PUDOL Bakery Cleaner has been tested and approved for the application in food-processing factories or kitchens.



#### Dosage:

For slight pollution, spray some dashes in water, wash the material, rinse with clear water. Drying is not required. For extremely strong pollution we recommend a dilution of 1:10 to 1:20. Longer duration of action and hot water noticeably support the cleaning process. Lay cake moulds with burned-in pollutions in a solution of 1:1 overnight and then, clean them with a rough sponge or brush. Thoroughly rinse all cleaned surfaces with water.

### PUDOL POWER

#### Lime Dissolver

Item number: 1940

**Product type:**  
Descaling agent

**Nature of the product:**  
Clear, red liquid

**Packaging:**  
1 l bottle: 1940-00100  
10 l canister: 1940-01000

#### Properties:

Lime Dissolver reliably removes lime scales, dirt, and rust from all acid-resistant surfaces. Do not use for acid-sensitive surfaces, enamel, and lime-based stone surfaces, like marble.



#### Dosage:

Fill a hot-water appliance with 2 to 3 l of water, add 50 to 100 ml Lime Dissolver depending on the thickness of lime scale (2.5 - 5 %). Fill the appliance with water until the height of the encrustation. Then heat it up to 50 to 60°C and allow it to act for 30 minutes. Drain the solution, rinse the appliance with a plenty of water. In case of very strong calcareous coatings repeat this procedure.

### PUDOL POWER

#### Dekrustan

Item number: 6765

**Product type:**  
Intensive degreaser

**Nature of the product:**  
Slightly yellowish liquid

**Packaging:**  
1 l bottle: 6765-00100  
10 l canister: 6765-01000

#### Properties:

Dekrustan penetrates even strong layers of pollution and removes them reliably. If foamed up with suitable devices (e.g. foam lance) the diluted solution forms a stable and actively cleaning foam padding. Extremely encrusted oil and fat deposits (of mineral, animal, or plant origin) require a longer duration of exposure depending on their thickness. **For aluminium only recommended with restrictions and diluted.**



#### Dosage:

Dekrustan can be applied in spraying and wiping procedures for immersion baths of parts and can be foamed up. In the field of canteen kitchens, heat up the devices to 60°C beforehand. Apply the solution, allow it to act for 5 to 10 min and rinse it. If necessary, use a hard sponge. Select the dosage value depending on the degree of pollution. Longer application time and hot water improve the effect.

### PUDOL POWER

#### Grill Cleaner

Item number: 6755


**Product type:**  
Self-acting Grill Cleaner

**Nature of the product:**  
Colourless, slightly dull, viscous liquid

**Packaging:**  
1 l bottle: 6755-00100  
10 l canister: 6755-01000

#### Properties:

Grill Cleaner cleans baking and cooking ovens, as well as grills and deep fat fryers by itself. **It is not suitable for surfaces made of aluminium and zinc!**



#### Dosage:

**Cleaning of grills:** Apply the cleaner on the encrusted and burned-in positions using a brush. Allow it to act for 10 to 15 min and wash it with water and scouring sponge. Slight heating of the devices to 40 to 50 ° improves the effect. **Exhaust hoods:** Dilute the product 1:1 with water, apply, allow it to act and carefully rinse it with water.

### PUDOL CARE

#### Microsoft Care System

Item number: 6105

**Product type:**  
Metal cleaning and maintenance creme, without ammonium chloride, with silicone

**Nature of the product:**  
White paste

**Packaging:**  
150 ml tube: 6105-00015

#### Properties:

Produced on an innovative raw material basis, non-toxic and acid-free, contains slightly smelling solvents. Microsoft Care System preserves and protects from corrosion, prevents oxidation and tarnishing of metals, and prevents water stains and fingerprints. It does not bind dust on the material. Metals receive a high-gloss finish and protection from tarnishing which improves with the frequency of application. Water drips off. The cleaning paste does not cause any scratches or grooves.



#### Dosage:

The material is washed using a wet sponge with a bit paste on it until water drips off (use cold water). Then dry it using a chamois or leather cloth and after that, repolish it using a soft cloth. No black cleaning rags anymore, no exhausting polishing work. For strong rust formation and baked-on dirt, allow the paste to act for approx. 5 minutes; rub it with paper.

### PUDOL CARE

#### Edol Stainless-Steel Polish

Item number: 6190

**Product type:**  
Neutral maintenance product

**Nature of the product:**  
Colourless liquid

**Packaging:**  
1 l bottle: 6190-00100  
10 l canister: 6190-01000

#### Properties:

It provides for a dirt- and water repellent protective film on the surface that facilitates the daily cleaning works and prevents lime scales. It easily removes fingerprints and dried residues of water stains on metal claddings of lifts. It complies with the hygiene regulations of the current Food and Consumer Goods Law. For universal use. It is also suitable as lubricant for locks and hinges.



#### Dosage:

Sparingly apply it with a dry cloth and wipe it thin.







# Kitchen

Dishes and glasses / Fields of application

## PUDOL POWER

### Glass Cleaning Agent

Item number: 6720

**Application:**  
For rinsing of glasses and washing of window frames, no matter whether it is of steel, with anodised, or of painted wood. It is also suitable for mirrors, tiles, glass indoors and outdoors.

## PUDOL POWER

### Dishwashing Agent GSM P

Item number: 1460

**Application:**  
For all common dish washers (commercial or household). It even removes dried pollutions and leftovers from cutleries and dishes.

## PUDOL POWER

### Dishwashing Agent GSM L

Item number: 1471

**Application:**  
For cleaning of dishes in commercial dishwashers.

## PUDOL POWER

### Dishwashing Agent GSM C

Item number: 1490

**Application:**  
For cleaning of dishes in commercial dishwashers.

## PUDOL POWER

### Dishwashing Agent GSM ALU

Item number: 1475

**Application:**  
For cleaning of baking trays

## PUDOL POWER

### Dishwashing Tabs

Item number: 1450

**Application:**  
For cleaning of dishes in household dishwashers

## PUDOL SOFT

### KSM Final Rinsing Agent

Item number: 1420

**Application:**  
Rinse aid for dishwashers

## PUDOL SOFT

### Manual Dishwashing Agent

Item number: 0121

**Application:**  
Suitable for household, canteen kitchens, hotels, butcheries, schools, factories and hospitals





# Kitchen

## Dishes and glasses / Product overview

### PUDOL POWER

#### Glass Cleaning Agent

Item number: 6720

**Product type:**

Glass cleaner, highly concentrated

**Nature of the product:**

Viscous, green liquid

**Packaging:**

1 l bottle: 6720-00100

10 l canister: 6720-01000

**Properties:**

Already small additions of Glass Clean cause a distinctive cleaning power for the usual pollutions with street dirt, deposits of industrial exhaust gases, finger prints, etc. The product causes the glass to shine in an unusual manner crystal clear which cannot be reached in this way with usual cleaners. Streak- and striation-free drying is guaranteed. Glass Clean does not include aggressive media; it does not affect hands, chamois leather, wiper or rubber sealings.



**Dosage:**

Depending on pollution and water hardness, up to max. 20 ml Glass Cleaning Agent are added to 1 bucket of water. The product features highest economy. Avoid overdoses; this can cause fat-like striation!

### PUDOL POWER

#### Dishwashing Agent GSM P

Item number: 1460

**Product type:**

Powder cleaner

**Nature of the product:**

White powder

**Packaging:**

5 kg bucket: 1460-00500

10 kg bucket: 1460-01000

**Properties:**

GSM P has a very good effect. Also with residues of tea or coffee, as well as stains of lipstick. It does not attack decors and glazes! This cleaner also acts in the hard-water range and prevents energy-consuming lime scales.



**Dosage:**

GSM P is manually filled in the cleaner tank of the dishwasher or a dosage unit is used. Select the following dosage quantity, depending on the water hardness:

- up to 8° dH: 1-2 g / litre of fresh water
- from 9° dH: 2-3 g / litre of fresh water

### PUDOL POWER

#### Dishwashing Agent GSM L

Item number: 1471

**Product type:**

Liquid dish cleaner

**Nature of the product:**

Colourless liquid

**Packaging:**

12 kg canister: 1471-01200

24 kg canister: 1471-02400

**Properties:**

Due to its good complexation ability, GSM L takes its full effect especially in the range of hard water. The cleaner acts water-softening, keeps lime dissolved, and effectively prevents deposits on the dishes and in the machines. It guarantees the fast and residue-free washability of the dishes.



**Dosage:**

Depending on the water hardness and the degree of pollution, 1 to 5 g GSM L per litre of water will be enough.

### PUDOL POWER

#### Dishwashing Agent GSM C

Item number: 1490

**Product type:**

Liquid dish cleaner

**Nature of the product:**

Slightly yellowish liquid

**Packaging:**

12 kg canister: 1490-01200

24 kg canister: 1490-02400

**Properties:**

The excellent power of GSM C is based on its special, long-term tested foam-inhibited formulation. The cleaner acts water-softening, and effectively prevents deposits on the dishes and in the machines. Furthermore, it features high yield and it is especially suitable for commercial washing systems in the food industry. The high content of active chlorine guarantees a thorough cleaning.



**Dosage:**

Depending on the water hardness and the pollution, 1.5 to 4 g GSM C per litre of water will be enough.

### PUDOL POWER

#### Dishwashing Agent GSM ALU

Item number: 1475

**Product type:**

Liquid high-duty dish cleaner

**Nature of the product:**

Colourless liquid

**Packaging:**

12 kg canister: 1475-01200

**Properties:**

GSM ALU is a highly alkaline cleaner for dishwashers with automatic dosage system. It optimally cleans sensitive surfaces, like aluminium plates or baking trays and optimally acts against very fatty and encrusted dishes to be washed.



**Dosage:**

GSM ALU is manually filled in the cleaner tank of the dishwasher or a dosage unit is used:

- 2 g / litre of fresh water to 8° dH
- 2-4 g / litre of fresh water from 10° dH

Further dosage depends on the local components: Degree of pollution - Fat input - Fresh water feed

### PUDOL POWER

#### Dishwashing Tabs

Item number: 1450

**Product type:**

Dishwashing TABS

2-phase tabs

**Nature of the product:**

Powder, white

**Packaging:**

160 tabs per bucket: 1450-0000

**Properties:**

Dishwasher tabs can be used in all common household dishwashers. Highly effective 2-phase dish cleaner concentrate in tablet form. High efficiency and cleaning power are features of this product. Convenient, clean, and easy to use. Cellophane-wrapped to protect from humidity.



**Dosage:**

Remove the cellophane envelope. Put one tab into the cleaner dosage chamber of the dishwasher. One tab is required for one washing cycle. **Caution:** The tabs need a minimum run time of the machine of 30 min. Otherwise residues would remain in semi-industrial machines (< 20 min runtime).

### PUDOL SOFT

#### KSM Final Rinsing Agent

Item number: 1420

**Product type:**

Final Rinsing Aid

**Nature of the product:**

Green liquid

**Packaging:**

1 l bottle: 1420-00100

10 l canister: 1420-01000

**Properties:**

The distinctive wetting effect of the KSM Final Rinsing Agent ensures that water perfectly runs off the dishes and accelerates the automatic drying process. It provides for sparkling glasses. Complex builders on natural basis essentially contribute to the effectiveness of the cleaner.



**Dosage:**

The product is filled in the dosage system of the dishwasher. Dosage quantity: 0.5– 1.0 g / litre of washing liquid.

### PUDOL SOFT

#### Manual Dishwashing Agent

Item number: 0121

**Product type:**

Dishwashing agent

**Nature of the product:**

Yellowish, clear liquid

**Packaging:**

1 l bottle: 0121-00100

10 l canister: 0121-01000

**Properties:**

The PUDOL Manual Dishwashing Agent is a universally usable cleaning agent that masters all problems. Highly concentrated, economical in use, well foaming, does not leave fat deposits and dishes dry with gloss. It can be used in factories of the food industry without restrictions.



**Dosage:**


Some dashes in the washing water will be enough for slight pollutions. For strong pollutions we recommend adding of 15 - 30 ml in 5 l of water (0.3 bis 0.6 %).





# Laundry

Fields of application / Product overview



## PUDOL SOFT

**Washquick**  
Item number: 5300  
**Application:**  
For white and multi-coloured laundry  
**Packaging:**  
5 l canister: 5300-00500

## PUDOL POWER

**PUDOL Heavy-Duty Detergent**  
Item number: 5350  
**Application:**  
For clothes cleaning  
**Packaging:**  
10 kg cardboard box: 5350-01000  
20 kg bag: 5350-02000

## PUDOL SOFT

**Neutral Washing Paste**  
Item number: 0150  
**Application:**  
For universal use  
**Packaging:**  
5 kg bucket: 0150-00500  
10 kg bucket: 0150-01000



**Product type:**  
Heavy Duty Detergent concentrate

**Nature of the product:**  
Viscous, dyed green, pleasant odour

**Properties:**  
Washquick has high washing power already at low temperatures in short wash cycles. Prewash is unnecessary. The product does not contain any bleach or optical brighteners. Best results also with multi-coloured laundry, no fading of colours; therefore Washquick can also be used as detergent for coloureds.



**Dosage:**  
Washquick is a highly concentrated, modern heavy-duty detergent for the application within the range of 30°C, 40°C, 60°C and 95°C. A highly effective combination of surfactants removes all usual dirt in an especially gentle way. *Washing by hand:* Dissolve 40 ml in 10 l of water. Apply it undiluted on persistent dirt marks, e.g., shirt collars, cuffs, and extreme stains.

Water hardness	Normally dirty	Extremely dirty	Yield*
Soft / medium	80 ml	140 ml	56 kg
Hard / very hard	100 ml	160 ml	45 kg

\*Quantity of normally dirty dry clothes you can wash with 1l Washquick in the main washing cycle if loaded with 4.5 kg.

**Product type:**  
Washing powder

**Nature of the product:**  
White powder, fresh odour, free from phosphate

**Properties:**  
Very economical heavy-duty detergent. It washes thoroughly while protecting fibres. It quickly and reliably removes also persistent dirt marks like cacao, tea, red wine etc., from textiles like coloured or delicate fabrics, and synthetics. The washing powder is designed for the professional large-scale consumer and has proved to be successful especially in the field of large laundries, hospitals, nursing homes for elderly, and gastronomy.



**Dosage:**  
Specifications are recommended for drum-type washing machines (capacity 4-5 kg dry clothes). Yield: 1 kg of washing powder is enough for the specified quantity of normally dirty clothes if loaded with 4.5 kg of clothes in the main washing cycle.

Water hardness	Soft (1)	Medium (2)	Hard (3)	Very hard (4)
Slightly dirty	100 ml	110 ml	120 ml	130 ml
Normally dirty	120 ml	140 ml	160 ml	180 ml
Extremely dirty	200 ml	240 ml	260 ml	290 ml
Yield	42 kg	36 kg	31 kg	28 kg

**Product type:**  
Neutral cleaner

**Nature of the product:**  
White paste

**Properties:**  
PUDOL Neutral Washing Paste is a highly concentrated neutral cleaner. It rinses, cleans, washes, and removes dirt and stains. Alkali-free and for universal use. Mild to skin due to especially high-grade additives for the skin. Fibre-friendly. Free from bleaching agents and optical brighteners.



**Dosage:**  
*Hand wash of delicate textiles:* Pour 20 ml in 5 l (0.4%) of lukewarm water. For extremely dirty cuffs, shirt collars or work clothing apply it undiluted and allow it to act.  
*Dishwashing:* 5 ml in 5 l (0.1%) water.  
*Car washing:* 10 ml in 5 l (0.2%) water.  
*Cleaning of doors, windows, tiles, plastic-coated cabinets, bath tubs, wash basins:* 10-20 ml in 5 l (0.2 - 0.4%) water.



# Industry / Workshop / Street

Fields of application



## PUDOL POWER

### Multiclean Power Cleaner

Item number: 1925

**Application:**  
For the whole industrial cleaning

## PUDOL POWER

### Sprintclean ATF

Item number: 1927

**Application:**  
For oil and fat pollutions in the industrial field, on metal construction parts and for floor cleaning in factory buildings

## PUDOL POWER

### Express Workshop cleaner

Item number: 4210

**Application:**  
For cleaning of car workshops, factory buildings, cement screed, wall and floor tiles, machines, transport containers, windows, facades; PVC and epoxy resin floors, etc.

## PUDOL POWER

### Dekrustan

Item number: 6765

**Application:**  
For removing of massive dirt deposits as well as burned-in oil and fat films. Applicable on all washable materials: Metal, stainless steel, plastics, ceramics, and concrete.



## PUDOL POWER

### Multi Cloth

Item number: 8120

**Application:**  
For removing stains from textiles, upholstery and carpets. It removes brake dust, soot, oil, grease, nicotine, bitumen, felt-pen, ink, ball point pen, fresh residues of paint, lacquer and adhesive, stamp ink, shoe polish, etc. For universal use.

## PUDOL POWER

### Workshop cleaner Ultraclean

Item number: 4215

**Application:**  
Suitable for cleaning of concrete and clinker floors in car workshops and in industrial companies, wall tiles, extremely dirty PVC floors, machines and cars, steel and alloy rims.



# Industry / Workshop / Street

## Product overview



### PUDOL POWER

#### Multiclean Power Cleaner

Item number: 1925

**Product type:**

Alkaline power cleaner

**Nature of the product:**

Slightly blue, clean liquid

**Packaging:**

1 l bottle: 1925-00100

10 l canister: 1925-01000

200 l barrel: 1925-20000

**Properties:**

Multiclean is strongly dirt-dissolving and degreasing, and solvent-free. Free from CFC, non-flammable and has optimum wetting and emulsifying effects. Best results are already obtained if it is diluted with cold water, however in extreme cases. hot water improves the effect. Foam formation is in the medium range.



**Dosage:**

*Continuous cleaning:* 2% to 4% (1:50 to 1:25)

*Application in high-pressure devices:*

- Stock solution: 20% to 33% (1:5 to 1:3)

- Final dilution: 1% to 2% (1:100 to 1:50)

*As cold cleaner for motors and machines:*

100% – Application time 15 min.

*Cleaning of hardware:*

- Strong pollution: 100% – Application time 15 min

- Normal pollution: 5% to 10% (1:20 to 1:10) – application time 15 min.

*Cleaning of truck tarpaulins:*

33% (1:3) – Application time 15 min.



**Dosage:**

*For automatic scrubbers:* Depending on the degree of pollution, select a dilution of 1:100 to 5:100.

In extreme cases, wet the floor beforehand with a solution of 1:10 and allow it to act for 15 min.


*Parts cleaning in washing systems and in ultrasonic cleaning:* Depending on the degree of pollution

- dilution 0.3 to 3%. *Application in high-pressure devices:* Stock solution 1:10 to 1:20. It is also suitable for the manual cleaning of machines, plastics, ceramics, painted parts. Dosage: 100-200 ml per bucket of water.



**Dosage:**

In case of extreme pollutions, dilute the Express Workshop Cleaner 1 : 5 with water, homogeneously distribute the solution on the floor, allow it to act for 10 to 15 minutes, scrub it with hot water and rewash. During the cleaning procedure, depending on the degree of pollution, dilute it with 1:5 to 1:30 with water. Hot water noticeably supports the effect.



**Dosage:**

Dekrustan can be applied in spraying and wiping procedures for immersion baths of parts and can be foamed up. In the field of canteen kitchens, heat up the devices to 60°C beforehand. Apply the solution, allow it to act for 5 to 10 min and rinse it. If necessary, use a hard sponge. Select the dosage value depending on the degree of pollution. Longer application time and hot water improve the effect.

### PUDOL POWER

#### Multi Cloth

Item number: 8120

**Product type:**

Cleaning cloth in the re-closable dispensing bucket

**Nature of the product:**

Slightly yellowish liquid

**Packaging:**

Clothes in the bucket: 8120-00000

**Properties:**

Cleaning cloth for universal use in the re-closable dispensing bucket. Consisting of a strongly wear-resistant, lint-free fleece and cleaning substances. It is also suitable for property cleaning. It is universally usable for water-free cleaning, also on the way.



**Dosage:**

Open the bucket by the cover and pull out the wet cloth. Tear off the cloth on the perforation and reclose the cover!



### PUDOL POWER

#### Workshop cleaner Ultraclean

Item number: 4215

**Product type:**

Workshop Floor Cleaner

**Nature of the product:**

Slightly yellowish liquid

**Packaging:**

10 l canister: 4215-01000

200 l barrel: 4215-20000

**Properties:**

The Workshop Cleaner Ultraclean removes fat and oil pollutions fast and effectively. The cleaner designed to be foam-inhibited, fast separating and separator-friendly. Cleaned surfaces dry with gloss.



**Dosage:**

For strong pollutions select a dilution of 1:30. For medium pollutions select 1:100. For extreme pollutions wet the floor with the solution and allow it to act for some minutes.

### PUDOL POWER

#### Sprintclean ATF

Item number: 1927

**Product type:**

Alkaline, foam-inhibited cleaning and degreasing concentrate

**Nature of the product:**

Slightly yellowish liquid

**Packaging:**

10 l canister: 1927-01000

**Properties:**

Sprintclean ATF is highly concentrated, free from phosphate, it does not contain any solvents hazardous to environment and is non-flammable. The concentrate can be mixed with water in any ratio. In cold water, it works foam-inhibited and at temperatures above 35 °C it is absolutely foam-free! Oily and fatty pollutions are quickly penetrated using special wetting agents and become water-soluble. Following re-washing or spraying with high pressure provides clean, fat-free surfaces. The main application is everywhere, where foam formation impairs the workflow (e.g. in automatic scrubbers, for ultrasonic cleaning or in pars washing systems).



### PUDOL POWER

#### Express Workshop cleaner

Item number: 4210

**Product type:**

Alkaline power cleaner and special cleaner

**Nature of the product:**

Colourless, clear liquid

**Packaging:**

1 l bottle: 4210-00100

10 l canister: 4210-01000

200 l barrel: 4210-20000

**Properties:**

Express Workshop Cleaner for all massive oil and fat pollutions, soot, and dirt encrustations. Due to its intensive wetting effect, the Express Workshop Cleaner penetrates layers, emulsifies oil and fat, and makes it to be water-soluble. Hot water supports the effect. It has a wide action spectrum referring to all pollutions, except for lime scale and boiler scale.



### PUDOL POWER

#### Dekrustan

Item number: 6765

**Product type:**

Intensive degreaser

**Nature of the product:**

Slightly yellowish liquid

**Packaging:**

1 l bottle: 6765-00100

10 l canister: 6765-01000

**Properties:**


Dekrustan penetrates even strong layers of pollution and removes them reliably. If foamed up with suitable devices (e.g. foam lance) the diluted solution forms a stable and actively cleaning foam padding. Extremely encrusted oil and fat deposits (of mineral, animal, or plant origin) require a longer duration of exposure depending on their thickness. **For aluminium only recommended with restrictions and diluted.**





# Industry / Workshop / Street

Fields of application



## PUDOL CARE

### Oil binder VARIO-SORB

Type III R - fine grain-

Item number: 8391

#### Application:

For absorbing and gritting of escaped liquids in the road traffic, on airports, in workshops, industrial companies and refineries.

## PUDOL CARE

### Oil binder MULTISORB

Type III R

Item number: 8390

#### Application:

For absorbing and gritting of escaped liquids in the road traffic, on airports, in workshops, industrial companies and refineries.

## PUDOL POWER

### Cleaner for traffic areas

Item number: 8388

#### Application:

Suitable for the deep, effective cleaning of mineral and synthetic oil and fat pollutions on concrete and asphalt areas, stone, plastics, wood, glass, and rubber. Furthermore, it removes soot, dirt, and protein deposits.



#### Product type:

Multipurpose binder

#### Nature of the product:

Granulate of calcinated alumina

#### Granulate size:

0.6 – 1.2 mm

#### Packaging:

20 kg bag: 8391-02000

#### Properties:

The granulate prevents personal, environmental and property damages and is suitable for oils and chemicals. The oil binder features the following properties:

- Especially high and fast absorbing capacity
- Easy handling
- Good flowing and gritting ability
- Low-dust
- High anti-skid property
- Harmless for human and animal
- Free from hazardous substances known
- Not toxic
- Not caustic
- Non-flammable (bound oil can be burned off)



#### Dosage:

After spreading on, allow it to act for some minutes. After an accident, VARIO-SORB absorbs the escaped liquid, binds it and does not release it anymore. The material regenerates immediately and then, it can be reused. Disposal required only if it shows dark colouration.

#### Product type:

Multipurpose binder

#### Nature of the product:

Granulate of calcinated alumina

#### Granulate size:

0.5 – 3.2 mm

#### Packaging:

20 kg bag: 8390-02000

#### Properties:

The granulate prevents personal, environmental and property damages and is suitable for oils and chemicals. The oil binder features the following properties:

- Especially high and fast absorbing capacity
- Easy handling
- Good flowing and gritting ability
- Low-dust
- High anti-skid property
- Harmless for human and animal
- Free from hazardous substances known
- Not toxic
- Not caustic
- Non-flammable (bound oil can be burned off)



#### Dosage:

After spreading on, allow it to act for some minutes. After an accident, MULTISORB absorbs the escaped liquid, binds it and does not release it anymore. The material regenerates immediately and then, it can be reused. Disposal required only if it shows dark colouration.

#### Product type:

Cleaning concentrate

#### Nature of the product:

Slightly blue, clean liquid

#### Packaging:

10 l canister: 8388-01000

200 l barrel: 8388-20000

1,000 l IBC: 8388-C0000

#### Properties:

The traffic area cleaner protects the material and the surfaces because it is not caustic. Furthermore, the cleaner is non-flammable, cost-effective, biodegradable and quick-separating in separators.



#### Dosage:

Depending on the type and degree of pollution, it can be diluted with water 1:10 to 1:40. After dilution, spray on approx. 0.1l/ m<sup>2</sup>, allow it to act for a short time. After that, scrub, brush, steam-jet until the formation of foam. Suitable for all cleaning systems. Suck up the liquid phase or absorb it with our oil binder MULTISORB.







# Buildings - Carpet & Upholstery

Fields of application

## PUDOL SOFT

### Carpet Shampoo

Item number: 0400

**Application:**  
For shampooing of carpet floorings, loose carpets, carpeting, for upholstery and car seats. Suitable for the use in shampooing devices and for manual application.

## PUDOL POWER

### Stain-Out

Item number: 0405

**Application:**  
It effectively releases and removes oily and greasy stains, grass stains, stains from felt-tip pens, ballpoint -pens and many other stains.

## PUDOL POWER

### Carpet Spray Extraction Cleaner

Item number: 0410

**Application:**  
For basic cleaning and detachur of colour-proof, textile floorings

## PUDOL POWER

### ES 100 Antifoaming Agent

Item number: 0430

**Application:**  
For the application in spray extraction, carpet shampooing machines and cleaning machines





# Buildings - Carpet & Upholstery

## Product overview



### PUDOL SOFT

#### Carpet Shampoo

Item number: 0400

**Product type:**

Foam cleaner for carpets and upholstery

**Nature of the product:**

White liquid

**Packaging:**

1 l bottle: 0400-00100

10 l canister: 0400-01000

**Properties:**

Carpet Shampoo is based on an approved raw material basis that has been tested by recognised, international institutes. This shampoo has excellent properties for cleaning and chemical stain removal as well as remarkable resistance to re-soiling. A dry residue is formed that neither is sticky, hygroscopic nor plastic. The agglomerates generated after drying from the active substance and dirt do not stick on the fibres. They can easily be removed mechanically, without the formation of dust. Carpet Shampoo does not include any optical brighteners or bleaching agents. Textile floorings with the usual colour fastness are not impacted in any way. Foam intensity and stability are optimally tuned. Bactericidal additions have a deodorizing effect, stale smells are removed.



**Dosage:**

Before shampooing, the carpet should be vacuumed thoroughly. Generally, a dilution of 1:6 can be assumed. For fine-fibrous material we recommend a higher dilution of 1:10. Dirt marks also prepare with a 1:6 diluted solution. Make sure that only foam can get onto the surface but no liquid. Never soak the carpets! The drying time depends on the quantity applied and the ambient air humidity. Only step on the flooring after it has been dried completely and vacuum it thoroughly.

*Manual application:* Create foam by multiple pressing and releasing of a sponge in the diluted solution until compact and stable foam has been generated. Homogeneously distribute the foam on the carpet and allow it to act for 1 minute, then rub it in using a sponge and allow it to dry. For upholstery use a brush with a cloth wound around it.

### PUDOL POWER

#### Stain-Out

Item number: 0405

**Product type:**

Stain remover

**Nature of the product:**

Slightly yellowish liquid

**Packaging:**

250 ml bottle: 0405-00025

**Properties:**

If natural fibres are very absorbent, its effect is limited. It is not suitable for stains caused by rust, ink or fruit. Stain-Out is also outstandingly suitable as pre-spray agent in the laundry: Spray stains on colour-proof clothes, such as dirty rings around white shirt collars, directly before washing in a washing machine.



**Dosage:**

Test the fabric for colour-fastness in a less noticeable position: For this purpose, wet a clean, white cloth with Stain-Out and rub the fabric off. If colours bled into the cloth, the use of Stain-out is inadvisable.

*Stain removing:* Spray it on the stains, allow it to act for 30 seconds, rub it off using an absorbent cloth (e.g. terrycloth towel). If the stains are intensive, replace the cloth for several times. If the stains are large, it is definitely necessary to work from the outside towards the centre.

### PUDOL POWER

#### Carpet Spray Extraction Cleaner

Item number: 0410

**Product type:**

Foam-inhibited Spray Extraction Cleaner

**Nature of the product:**

Light green liquid

**Packaging:**

1 l bottle: 0410-00100

10 l canister: 0410-01000

**Properties:**

Strong dirt-removing effect, it does not leave sticky residues. It prevents fast re-soiling of the fabric. Foam formation is low and does not cause any distortion of the workflow. The product is free from oxidation and reduction agents or other, colour-changing additives. Nevertheless, the flooring or carpet should be tested for colour- and water-resistance before each cleaning. Basic cleaning with Carpet Spray Extraction Cleaner provides for hygienic, clean floors and is especially fabric- and material-friendly.

If the carpet has been shampooed before, there will be the risk of stronger formation of foam. In this case, pour some **Antifoaming Agent ES 100** in the waste water tank.



**Dosage:**

Spray extraction procedures in the industrial area are based on different methods. The Carpet Spray Extraction Cleaner can be used for the one-step-method (A: *Cleaning liquid is spray under pressure in the fabric and sucked up with the dissolved dirt*), as well as also for the spray/rinse-suction extraction (B: *Cleaning liquid is homogeneously sprayed on the flooring by means of a spray appliance. After that, it is sucked up with clear water as described in A, without cleaning additive*).

We recommend the following standard procedure: *Textiles:* Thoroughly vacuum the flooring, brush up depressed pile, if necessary and check for colour-fastness. *Pre-detachur:* Dilute with water 1:2 to 1:5, pre-spray paths and stains. *Cleaning of total area:* Dilute 10 - 40 g cleaner with 1 litre of water. Operating temperature: 20-50°C or observe the special specifications issued by the manufacturer of the flooring or the appliance. Step on the floor only after it has been dried completely!

### PUDOL POWER

#### ES 100 Antifoaming Agent

Item number: 0430

**Product type:**

Silicone-based antifoaming agent

**Nature of the product:**

White liquid

**Packaging:**

10 l canister: 0430-01000

**Properties:**

The Antifoaming Agent ES 100 has a strong foam-inhibiting effect on the cleaning agent solutions.



**Dosage:**

Shake before use. The best effect is achieved if the Antifoaming Agent ES 100 is directly added in the suction flow: Pour 100-200 ml in the suction hose or in the injector installed in the suction flow. If directly added in the waste water tank, the added quantity should be increased. **Important:** Do not directly add it in the cleaning solution!







# Building - Floor

Fields of application

## PUDOL SOFT

### Combi-Cleaner 3 Plus

Item number: 2500

**Application:**  
For cleaning and maintaining of all plastic floorings, natural and artificial stone and linoleum.

## PUDOL SOFT

### Presto Gloss Cleaner

Item number: 2535

**Application:**  
For striation-free care of high-gloss finished plastic, ceramic and stone floorings.

## PUDOL POWER

### Automatic Machine Floor Cleaner

Item number: 2530

**Application:**  
For everyday floor cleaning on plastic floorings, as well as natural and artificial stone.

## PUDOL POWER

### Power-Stripper

Item number: 2713

**Application:**  
For removing aged wax and polymer films. Not suitable for linoleum, wood, parquet and colour-sensitive floorings.

## PUDOL CARE

### Contact Stone Polish

Item number: 2660

**Application:**  
For all natural and artificial stone floorings, e.g.: Suitable for terrazzo, granite, clinker, slate, Solnhofener plates, travertine, and marble.

## PUDOL POWER

### Floor cleaner

Item number: 2501

**Application:**  
Suitable for all plastic floorings, natural and artificial stone and linoleum.

## PUDOL POWER

### Basic Cleaner ALPHA

Item number: 2710

**Application:**  
It removes old self-shining and wax films and persistent dirt residues. It is also suitable for intermediate and continuous cleaning of heavily polluted floors, e.g., nubby rubber floors.

## PUDOL POWER

### Basic Cleaner BETA

Item number: 2700

**Application:**  
For the basic cleaning of all water- and alkali-resistant floorings. Especially for removing aged wax and polymer films.





# Building - Floor

## Product overview



### PUDOL SOFT

#### Combi-Cleaner 3 Plus

Item number: 2500

**Product type:**

Floor wiping care on the basis of natural soap and selected surfactants

**Nature of the product:**

Green, viscous liquid with fresh-tangy odour

**Packaging:**

1 l bottle: 2500-00100  
10 l canister: 2500-01000

**Properties:**

PUDOL Combi-Cleaner 3 Plus has excellent cleaning properties. The floor is not leached out, e.g., if pure surfactant cleaners, all-purpose cleaners or so-called neutral soaps are applied. If regularly applied, the floorings become intensely coloured with slight silk gloss. The caused antistatic effect of the protective film can be polished with cleaning machines to receive high gloss.

**Dosage:**

Depending on the degree of pollution, it will be enough to add 40 - 80 ml (0.5 - 1.0%) per 8 l water. do not let it dry out completely and do not wipe it with clear water. *For new and deep-cleaned or absorbent floors:* 150 - 300 ml (2 - 4%) per bucket. Saturation of floor will happen after a few days (it is noticeable by slight sticking). Then, quantity should be reduced to the normal quantity.

### PUDOL SOFT

#### Presto Gloss Cleaner

Item number: 2535

**Product type:**

Neutral alcohol cleaner

**Nature of the product:**

Yellow liquid

**Packaging:**

1 l bottle: 2535-00100  
10 l canister: 2535-01000

**Properties:**

Presto Gloss Cleaner cleans actively, is pleasantly smelling and foam-inhibited. It is suitable for floor wiping, as well as for cleaning machines. The cleaner cleans intensively on the basis of its combination of surfactants and high-grade cleaning alcohol. It is especially recommended for problematic surfaces, such as dimpled floorings, high-gloss glazing clinker and marble.

**Dosage:**

Depending on the degree of pollution add 75 - 100 ml of Presto in a bucket with water (1 - 1.3%). For cleaning machines, 50 - 100 ml per 10 l of water (0.5 - 1%) will be enough. Do not work with hot water!

If the product is used undiluted, it can cause light stains on coated floorings!

### PUDOL POWER

#### Automatic Machine Floor Cleaner

Item number: 2530

**Product type:**

Foam-regulated soap-based wiping care

**Nature of the product:**

Medium viscous, yellowish liquid with lemon fragrance

**Packaging:**

10 litre canister: 2530-01000

**Properties:**

PUDOL Automatic Machine Floor cleaner is used for continuous floor cleaning in automatic cleaning machines on plastic floorings as well as natural and artificial stone. It prevents electrostatic charges. Powerful for everyday cleaning of supermarkets and shopping malls. Set to be foam-inhibited.

**Dosage:**

For continuous everyday cleaning with automatic cleaning machines pour 30 - 40 ml per 10 l of water (= 0.3 to 0.4 %). For new or deep cleaning of floors, the additional quantity can be increased to 100 ml / 10 l.

### PUDOL POWER

#### Power-Stripper

Item number: 2713

**Product type:**

High performance deep cleaner

**Nature of the product:**

Colourless, clear liquid

**Packaging:**

1 l bottle: 2713-00100  
10 l canister: 2713-01000

**Properties:**

Power Stripper is a new, foam-inhibited high performance deep cleaner that fast and completely removes extremely aged wax and polymer films. Even very resistive encrustations can be removed easily without using machines. Power Stripper is the low-odour basic cleaner of the new generation that facilitates film removal in an unprecedented way not known until now and makes it cost effective.

**Dosage:**

*For removing of old wax and polymer films:* Dilution 1: 4. *For low pollution:* Dilution 1:10. Homogeneously distribute the solution and allow it to act for 5 to 15 minutes. Then, scrub the floor with a scrubber or a cleaning machine and the respective pad. Immediately pick up released dirt and re-wipe with plenty of water. Process wide areas step by step.

### PUDOL CARE

#### Contact Stone Polish

Item number: 2660

**Product type:**

Special self-glossy dispersion

**Nature of the product:**

White liquid

**Packaging:**

1 l bottle: 2660-00100  
10 l canister: 2660-01000

**Properties:**

Contact Stone Polish is a care product for all stone floors that are suitable for care coating. The self-glossy film has an anti-slip effect, is highly wear-resistant and is especially suitable for heavy-duty areas. Contact Stone Polish does not only improve the appearance of stone but simultaneously protects the material from fast wearing and noticeably facilitates the ongoing cleaning.

**Dosage:**

Clean the floor with a suitable basic cleaner, e.g. Power-Stripper, wipe it with clear water and allow it to dry. Homogeneously apply a thin layer of Contact Stone Polish on the neutralised, dry floor using a clean wiper of lambskin. Allow it to dry well. After a waiting time of at least 1 hour (depending on the local conditions) apply a second, thin film in transverse direction.

### PUDOL POWER

#### Floor cleaner

Item number: 2501

**Product type:**

Fresh odour - floor wiping care on the basis of natural soap and selected surfactants

**Nature of the product:**

Green, viscous liquid

**Packaging:**

1 l bottle: 2501-00100  
10 l canister: 2501-01000

**Properties:**

PUDOL Floor Cleaner with special cleaning intensifiers activates, cleans powerfully, and maintains in one work cycle. Highly concentrated, therefore economic consumption. The cleaner provides for the floor, especially dark stone, depth of colour and slight silk gloss. If used regularly, a thin film is generated whose gloss can be improved by polishing. In contrast to all-purpose cleaners and neutral cleaners, the floor is not leached out if the floor cleaner is used.

**Dosage:**

Addition of 20 - 50 ml, depending on the degree of pollution and desired odour intensity, per 8 l water (0.25 - 0.9%). For deep-cleaned floors and for the first use, double the additional quantity for some days to provide for a certain saturation of the floor. As soon as the floor is a bit sticky, reduce the addition quantity. Allow floors to dry without additional wiping.

### PUDOL POWER

#### Basic Cleaner ALPHA

Item number: 2710

**Product type:**

Deep cleaning for removing aged wax and polymer films

**Nature of the product:**

Colourless to slightly yellowish liquid with lemon fragrance

**Packaging:**

1 l bottle: 2710-00100  
10 l canister: 2710-01000

**Properties:**

Basic cleaner ALPHA is a foam-inhibited special product for deep cleaning of plastic floorings, natural and artificial stone. The cleaner removes old self-shining and wax films and persistent dirt residues. Furthermore, it is suitable for intermediate and continuous cleaning of heavily polluted floors, e.g., nubby rubber floors. The floor will get its original appearance and colour freshness.

**Dosage:**

*Thorough cleaning:* Dilution 1:5 to 1:10, depending on age and thickness of the film to be removed. Homogeneously wet the floor with cleaning solution and allow it to act for 10 to 15 min. The, scrub up the surface with the automatic cleaning machine and appropriate pads. Attention, risk of slipping! Pick up released dirt and for neutralisation re-wipe it with plenty of water. To improve the cleaning effect, the cleaner can be diluted with hot water without odour nuisance. *Ongoing cleaning of uncoated floors:* Select a dilution of 1:10 to 1:25.

### PUDOL POWER

#### Basic Cleaner BETA

Item number: 2700

**Product type:**

Power-increased basic cleaner for removing aged wax and polymer films

**Nature of the product:**

Slightly yellowish liquid

**Packaging:**

1 l bottle: 2700-00100  
10 l canister: 2700-01000

**Properties:**

Basic cleaner BETA is a special product for deep cleaning of all water- and alkaline-resistant floorings. It effectively removes aged coatings of wax and plastic dispersions. The cleaner is set to be foam-inhibited and is especially suitable for removing metal-reinforced films.

**Dosage:**

Depending on the age and thickness of the film, select a dilution of 1:5 to 1:10. Homogeneously distribute the solution and allow it to act for 5 to 15 minutes. Then, scrub the floor with a cleaning machine and the respective pad. Pick up released dirt and re-wipe with plenty of water. Caution: Risk of slipping! If finally the surface shall be sealed with PUDOL OPAL Sealant pay special attention to neutralise the floor thoroughly. If necessary, add some PUDOL Rapid Cleaner in the last mopping water. Process wide areas step by step.







# Building - Floor

Fields of application

## PUDOL POWER

### Lino-Stripper

Item number: 2712

**Application:**  
For cleaning of linoleum floors.

## PUDOL CARE

### Opal Sealant

Item number: 2630

**Application:**  
Suitable for all plastic floorings, PVC, asphalt-tiles, rubber, sealed parquet, natural and artificial stone and especially for linoleum floorings.

## PUDOL CARE

### Duplo Special

Item number: 2650

**Application:**  
Suitable for all water-resistant floorings, PVC, plastic floorings, sealed parquet, linoleum and especially for floors of stones, Cotto and tiles.

## PUDOL CARE

### AS Sports Hall Polish

Item number: 2681

**Application:**  
It is suitable for plastic-fabric floorings, parquet floors, linoleum, natural and artificial stone.

## PUDOL CARE

### Duplo Wiping Wax

Item number: 2640

**Application:**  
Suitable for all plastic floorings, PVC, rubber, asphalt-tiles, natural and artificial stone, linoleum sealed parquet.

## PUDOL CARE

### TWIN Wiping Wax

Item number: 2645

**Application:**  
Suitable for all water-resistant floorings, PVC, plastic floorings, sealed parquet and linoleum, stones, natural and artificial stone.





# Building - Floor

## Product overview



### PUDOL POWER

#### Lino-Stripper

Item number: 2712

##### Product type:

Basic cleaner for linoleum floorings

##### Nature of the product:

Slightly yellowish liquid

##### Packaging:

1 l bottle: 2712-00100  
10 l canister: 2712-01000

##### Properties:

It effectively removes old wax films and strong pollutions.



##### Dosage:

Depending on the age and thickness of the film, select a dilution of 1:5 to 1:10. Homogeneously distribute the solution and allow it to act for 5 to 15 minutes. Then, scrub the floor with a cleaning machine and the respective pad, do not use black pad discs! Pick up released dirt and re-wipe with plenty of water. Caution: Risk of slipping! Process wide areas step by step. To improve the cleaning effect, the Lino Stripper can be diluted with hot water without odour nuisance.

### PUDOL CARE

#### Opal Sealant

Item number: 2630

##### Product type:

Self-glossy dispersion, conditionally polishable

##### Nature of the product:

White liquid

##### Packaging:

1 l bottle: 2630-00100  
10 l canister: 2630-01000

##### Properties:

Opal Sealant provides a high-gloss, wear-resistant, non-skid care film. This film is resistant to water and cleaning agents, dries glass clear and is free from yellowing. It fills pores well, due to high percentage of solid particles. Polishing is possible. It is suitable for high-speed methods. Opal Sealant provides for safe protection of heavy-duty floors against wearing and facilitates daily maintenance cleaning. Durability of parquet sealings can considerably be extended.



##### Dosage:

Clean the floor with a suitable basic cleaner, e.g. Basic Cleaner BETA, wipe it with clear water and allow it to dry. It is important that all residues of the basic cleaner used are removed thoroughly! Homogeneously apply a thin layer of Opal Sealant on the neutralised, dry floor using a clean wiper of lambskin. Allow it to dry well. After a waiting time of at least 1 hour (depending on the local conditions) apply a second, thin film in transverse direction.

### PUDOL CARE

#### Duplo Special

Item number: 2650

##### Product type:

Multi-purpose dispersion

##### Nature of the product:

White liquid

##### Packaging:

1 l bottle: 2650-00100  
10 l canister: 2650-01000

##### Properties:

Duplo Special is an actively cleaning special maintenance product and guarantees the cost-saving application by simplification of works during the ongoing application and the omission of expensive deep cleanings. This maintenance product forms a self-glossy, anti-slip, and wear-resistant film. Also applicable as wiping wax for cleaning and care of in one work cycle. The film is insensitive to footprints, e.g., black streaks. Therefore, coating with Duplo Special is especially suitable for heavy-duty areas. Deeper traffic traces can easily be repaired in the next cleaning cycle.



##### Dosage:

For the first cleaning, clean the floor with a suitable basic cleaner, e.g., Basic Cleaner Beta, wipe it with clear water and allow it to dry. Homogeneously apply a thin layer of Duplo Special and allow it to dry well. If necessary, apply a second film. *Everyday cleaning with wet wiping method:* Use Duplo Special diluted as 1 to 2% solution, i.e. 80 ml to 160 ml in 8 l water. For the quick formation of care film during the everyday cleaning mix Duplo Special in the ratio of 1:8 and wipe it wet. *Application of Duplo Special in the Cleaner method:* Application concentration 1:1 to 1:4.

### PUDOL CARE

#### AS Sports Hall Polish

Item number: 2681

##### Product type:

Self-glossy dispersion with anti-slip effect

##### Nature of the product:

White liquid

##### Packaging:

10 l canister: 2681-01000

##### Properties:

AS Sports Hall Polish is a special care product that has been developed according to the latest findings and combines highest resilience with a with a distinctive anti-slip effect. A coating with AS Sports Hall Polish provides a visco-elastic film which is resistant to cleaning agents and extremely durable. The distinctive anti-slip properties specify the area of application of this product: Sports halls and gymnasiums, gyms, multi-purpose hall floors and all areas in which smoothness is not desired.



##### Dosage:

Clean the floor with a suitable basic cleaner, e.g. PUDOL Basic Cleaner BETA, wipe it with clear water and allow it to dry. It is important that all residues of the basic cleaner used are removed thoroughly! Homogeneously apply a thin layer of the maintenance product on the neutralised, dry floor using a clean wiper of lambskin. Allow it to dry well. After a waiting time of at least 1 hour (depending on the local conditions) apply a second, thin film in transverse direction.

### PUDOL CARE

#### Duplo Wiping Wax

Item number: 2640

##### Product type:

Wiping wax, polishable

##### Nature of the product:

White liquid

##### Packaging:

1 l bottle: 2640-00100  
10 l canister: 2640-01000

##### Properties:

Duplo Wiping Wax is a full floor-care product that allows cleaning and maintenance in one work cycle. The floor obtains a stable a highly-glossy film. Walk traces are removed with the next wiping wax procedure. Also applicable as cleaner.



##### Dosage:

*Everyday cleaning with wet wiping method:* Use Duplo Wiping Wax diluted as 1 to 2% solution, i.e. 80 ml to 160 ml in 8 l water. Apply Duplo Wiping Wax 5 - 8 % to faster generate a maintenance film on new or uncoated floors. *Application of Duplo Wiping Wax with the Cleaner method:* Application concentration 1:1 to 1:4. Do not wipe the floor completely dry.

### PUDOL CARE

#### TWIN Wiping Wax

Item number: 2645

##### Product type:

Floor Wiping Wax based on water-soluble polymers, polishable

##### Nature of the product:

Colourless liquid

##### Packaging:

10 l canister: 2645-01000

##### Properties:

Twin Wiping Wax is a combined cleaning and maintenance product that allows thorough cleaning and easy care in one work cycle. A silky-glossy protective film protects from fast repeated pollution. If Twin Wiping Wax is used, no layer will be formed. With this, a great deal of work for deep cleaning will be unnecessary. The film dries fast, wiping traces are barely visible. It will not be slippery.



##### Dosage:

*Everyday cleaning with wet wiping method:* Use TWIN Wiping Wax diluted as 0.5 to 2 % solution, i.e. 40 ml to 160 ml in 8 l water. Apply Twin Wiping Wax of 5 to 8 %- to faster generate a maintenance film on new or uncoated floors. *Application of Twin Wiping Wax with the Cleaner method:* Select an application concentration of 1 : 5. Do not wipe the floor completely dry.







# Buildings - Glass / Windows / Facade

Fields of application

## PUDOL POWER

**PUDOL XL**  
Item number: 3100  
**Application:**  
For removing of paint smearing, adhesive residues, lines of felt-tip pens and paint pollutions on stone- and metal surfaces, glass and rubber. It is also suitable for plexiglass surfaces.

## PUDOL POWER

**PUDOL XXL**  
Item number: 3200  
**Application:**  
For removing of paint smearing, lines of felt-tip pens and paint pollutions on absorbent stone- and clinker surfaces.

## PUDOL SOFT

**GrünEX - Special Cleaner**  
Item number: 1230  
**Application:**  
For natural and artificial stone, concrete, bricks, slate, Eternit, wood, benches, stairs, etc.

## PUDOL POWER

**Mould Remover Concentrate**  
Item number: 1240  
**Application:**  
For removing mould layers and organic pollutions. Also for cleaning of carving boards, conveyor belts in butcheries, as well as in the meat-processing industry and suitable for bakeries.



## PUDOL POWER

**Glass Cleaning Agent**  
Item number: 6720  
**Application:**  
For rinsing of glasses and washing of window frames, no matter whether it is of steel, with anodised, or of painted wood. It is also suitable for mirrors, tiles, glass indoors and outdoors.


## PUDOL CARE

**Window clean**  
Item number: 0300  
**Application:**  
Very well suitable for all high-gloss surfaces, chromium, windows, glass doors, mirrors, etc.



# Buildings - Glass / Windows / Facade

## Product overview



PUDOL POWER

### PUDOL XL

Item number: 3100

**Product type:**

Graffiti remover

**Nature of the product:**

Colourless liquid with characteristic odour


**Packaging:**

1 l bottle: 3100-00100

10 l canister: 3100-01000

**Properties:**

PUDOL XL quickly and gently solvates unwanted spray paints and paints on busses, railway wagons, telephone booths, traffic signs and sign of building sites and then, they can easily be wiped away using a cloth.



PUDOL POWER

### PUDOL XXL

Item number: 3200

**Product type:**

Graffiti remover

**Nature of the product:**

Slightly yellowish paste

**Packaging:**

1 kg bucket: 3200-00100

10 kg bucket: 3200-01000

**Properties:**

Especially effective for strong pollutions on porous materials, e.g., house walls, concrete walls, as well as sight and noise prevention barriers. Be careful with plastic surfaces, do not use on plexiglass. PUDOL XXL infiltrates unwanted spray paints and paints and then, they can be removed easily.



**Dosage:**

Apply undiluted using a brush or sponge and allow it to act for 5 to 10 minutes. Take the diluted paint layer off using an absorbent rag. Repeat the procedure for several times using a clean cloth. After that, thoroughly rewash the whole surface. When cleaning of an extremely absorbent substrate, extend the action time to 1 hour and rinse the pores using a high-pressure device.

PUDOL SOFT

### GrünEX - Special Cleaner

Item number: 1230

**Product type:**

Special cleaners

**Nature of the product:**

Colourless liquid

**Packaging:**

1 l bottle: 1230-00100

10 l canister: 1230-01000

**Properties:**

GrünEX Special Cleaner is highly concentrated and with its depot-long-time effect its application is very efficient. It removes green layers and cleans the surfaces sustainably. We recommend its application on dry days. The surface will appear like the original surface and will be clean.



**Dosage:**

Dosage depends on how strong the pollution is: For strong pollution dilute it 1:10, wet the surface and let it act for a while, (sufficient for 20 - 30 m²). For slight pollution, a dilution of 1:20 to 1:50 will be enough, (sufficient for approx. 200 to 250 m²).

PUDOL POWER

### Mould Remover Concentrate

Item number: 1240

**Product type:**

Special cleaner based on active chlorine

**Nature of the product:**

Slightly yellowish, clear liquid

**Packaging:**

1 l bottle: 1240-00100

10 l canister: 1240-01000

**Properties:**

It acts bleaching, brightens again surfaces affected by mould and provides for hygienic cleanliness. Suitable also for cleaning of carving boards, conveyor belts in butcheries, as well as in the meat-processing industry and for bakeries.



**Dosage:**

Dilute it with water depending on the degree of pollution 1:1 or 1:10. Use it outdoors on dry substrate (deep action). Thicker layers should be removed manually before the application. In the food area, let it act for approx. 5 -10 minutes, after that, rinse it with water to remove residues. If it is extremely polluted, apply the product undiluted and , if necessary, repeat the procedure.

PUDOL POWER

### Glass Cleaning Agent

Item number: 6720

**Product type:**

Glass cleaner, highly concentrated

**Nature of the product:**

Viscous, green liquid


**Packaging:**

1 l bottle: 6720-00100

10 l canister: 6720-01000

**Properties:**

Already small additions of Glass Clean cause a distinctive cleaning power for the usual pollutions with street dirt, deposits of industrial exhaust gases, finger prints, etc. The product causes the glass to shine in an unusual manner crystal clear which cannot be reached in this way with usual cleaners. Streak- and striation-free drying is guaranteed. Glass Clean does not include aggressive media; it does not affect hands, chamois leather, wiper or rubber sealings.



**Dosage:**

Depending on pollution and water hardness, up to max. 20 ml Glass Cleaning Agent are added to 1 bucket of water. The product features highest economy. Avoid overdoses; this can cause fat-like striation!

PUDOL CARE

### Window Cleaner

Item number: 0300

**Product type:**

Window cleaner

**Nature of the product:**

Light-blue liquid

**Packaging:**

1 l bottle: 0300-00100

10 l canister: 0300-01000

**Properties:**

Window Cleaner cleans striation-free and dries independently. Power-increased.



**Dosage:**

Spray some dashes on, homogeneously distribute them with a dry cloth. After that, re-wipe with a lint-free cloth or absorbent kitchen paper.







# Vehicles

Fields of application

## PUDOL SOFT

### Car shampoo

Item number: 4001

**Application:**  
Suitable for preparing cars for manual car washing and for cleaning of plastic surfaces in caravans.

## PUDOL SOFT

### AGW Car Polishing Wash

Item number: 4010

**Application:**  
Suitable for manual car washing and as drying support in carwash systems.

## PUDOL POWER

### Wastramatic Pre-Spray Cleaner

Item number: 4022

**Application:**  
Developed for pre-spraying of vehicles that shall be cleaned in a carwash system with brushes (of all makes in general use) for trucks and buses.

## PUDOL POWER

### HD cleaner

Item number: 4200

**Application:**  
For the use in high-pressure washing devices, as they are used in car repair shops, industrial factories, filling stations, and in the private sector.



## PUDOL POWER

### PROFI Rim Cleaner

Item number: 4620

**Application:**  
Suitable for all alloy and steel rims.

## PUDOL POWER

### Stain-Out

Item number: 0405

**Application:**  
It effectively releases and removes oily and greasy stains, grass stains, stains from felt-tip pens, ballpoint -pens and many other stains from upholsteries.

## PUDOL CARE

### Cockpit Care Wipes

Item number: 8110

**Application:**  
It cleans, cares and preserves smooth and non-porous surfaces.

## PUDOL POWER

### Glass Cleaning Agent

Item number: 6720

**Application:**  
It is suitable for mirrors, tiles, and glass indoors and outdoors.



# Vehicles

## Product overview



### PUDOL SOFT

#### Car Shampoo

Item number: 4001

**Product type:**  
Neutral cleaner

**Nature of the product:**  
Green liquid

**Packaging:**  
1 l bottle: 4001-00100

**Properties:**

Car Shampoo is a highly concentrated and extremely economical shampoo that features high cleaning power, striation-free gloss, and quick drying. This shampoo is suitable for all types of lacquer, is pH-neutral and does not include silicone.



**Dosage:**

Before use, check for material compatibility in an invisible position. Pour 50 ml into 5 l of water (1 %). If low foam formation is desired, at first pour water in the bucket and then add the shampoo. At first spray off coarse dirt, wash the car with shampoo solution using a brush or sponge, then spray off with clear water. Do not let it dry in direct sunlight.

### PUDOL SOFT

#### AGW Car Polishing Wash

Item number: 4010

**Product type:**  
Hydrophobic agent

**Nature of the product:**  
Colourless liquid

**Packaging:**  
1 l bottle: 4010-00100  
10 l canister: 4010-01000

**Properties:**

AGW Car Polishing Wash is a wash preservative of a new kind, without wax and silicone. It achieves a glossy shine of the lacquer without polishing. Water drips off, cleaning with wash-leather is not required.



**Dosage:**

*Manual car washing:* Pre-clean with Car Shampoo, then rewash the car with AGW Car Polishing Wash: add approx. 40 ml in 5 l water (0.8%). *Automatic carwash:* Dilution 0,5 %. Do not let the car dry in the direct sunlight. Do not mix it with other shampoos.

### PUDOL POWER

#### Wastramatic Pre-Spray Cleaner

Item number: 4022

**Product type:**  
Special spray cleaner

**Nature of the product:**  
Slightly yellowish liquid

**Packaging:**  
10 l canister: 4022-01000

**Properties:**

The Wastramatic - Pre-Spray Cleaner has an excellent wetting effect and good dirt-dissolving and degreasing characteristics. It generates a foam padding that optimises the sliding effect of the brushes and supports gentle removing of dirt.



**Dosage:**

Usually the applied concentration depends on the degree of pollution, the dilution is between 1:10 and 1:50. Spray the car, allow it to act for 5-15 min, and after that wash it with the brush system without further cleaning agents. Do not spray on hot lacquer surfaces. Do not use it in the direct sunlight.

### PUDOL POWER

#### HD cleaner

Item number: 4200

**Product type:**  
Alkaline cleaner

**Nature of the product:**  
Colourless liquid

**Packaging:**  
10 l canister: 4200-01000

**Properties:**

HD Cleaner Liquid effectively removes usual street dirt from the cars. It removes oily and fatty pollutions from the machines. It is suitable for cleaning of tarpaulins and halls. With the recommended concentration, the HD Cleaner will be lacquer-friendly and can be used for cleaning cars, trucks, and busses.



**Dosage:**

The added quantity depends on the flow rate of the pump or the addition of water to the cleaning solution that can be different for different brands. *Pre-dilution:* 1 part HD Cleaner in 10 to 20 parts of water (5 - 10%). *Final dilution:* 1 to 2 %

### PUDOL POWER

#### PROFI Rim Cleaner

Item number: 4620

**Product type:**  
Professional Cleaner

**Nature of the product:**  
Greenish aqueous cleaner

**Packaging:**  
1 l bottle: 4620-00100  
10 l canister: 4620-01000

**Properties:**

The Professional Rim Cleaner is strongly dirt- and fat-dissolving, even for persistent pollutions like brake dust or oil residues. **Avoid drying of the solution on lacquered surfaces – especially under direct sun radiation.**



**Dosage:**

Spray the undiluted concentrate on the rims using a pump sprayer. After that, re-rinse with clear water.

### PUDOL POWER

#### Stain-Out

Item number: 0405


**Product type:**  
Stain remover

**Nature of the product:**  
Slightly yellowish liquid

**Packaging:**  
250 ml bottle: 0405-00025

**Properties:**

If natural fibres are very absorbent, its effect is limited. It is not suitable for stains caused by rust, ink or fruit. Stain-Out is also outstandingly suitable as pre-spray agent in the laundry: Spray stains on colour-proof clothes, such as dirty rings around white shirt collars, directly before washing in a washing machine and wash as usual.



**Dosage:**

Test the fabric for colour-fastness in a less noticeable position: For this purpose, wet a clean, white cloth with Stain-Out and rub the fabric off. If colours bled into the cloth, the use of Stain-out is inadvisable. *Stain removing:* Spray it on the stains, allow it to act for 30 seconds, rub it off using an absorbent cloth (e.g. terrycloth towel). If the stains are intensive, replace the cloth for several times. If the stains are large, it is definitely necessary to work from the outside towards the centre.

### PUDOL CARE

#### Cockpit Care Wipes

Item number: 8110

**Product type:**  
Care wipes

**Nature of the product:**  
Care wipe with impregnating solution

**Packaging:**  
Can (40 wipes): 8110-00000

**Properties:**

It refreshes the colour of old surfaces and re-brightens them. It avoids brittleness and reduces new soiling. It is also suitable for new parts. In this way, they keep their colour and gloss. The surface becomes anti-static, dirt-, and dust-resistant.



**Dosage:**

Pull the wet wipe out of the can, homogeneously distribute the maintenance product as a thin layer, allow it to act and repolish.

### PUDOL POWER

#### Glass Cleaning Agent

Item number: 6720

**Product type:**  
Glass cleaner, highly concentrated

**Nature of the product:**  
Viscous, green liquid

**Packaging:**  
1 l bottle: 6720-00100  
10 l canister: 6720-01000

**Properties:**

Already small additions of Glass Clean cause a distinctive cleaning power for the usual pollutions with street dirt, deposits of industrial exhaust gases, finger prints, etc. The product causes the glass to shine in an unusual manner crystal clear which cannot be reached in this way with usual cleaners. Streak- and striation-free drying is guaranteed. Glass Clean does not include aggressive media; it does not affect hands, chamois leather, wiper or rubber sealings.



**Dosage:**

Depending on pollution and water hardness, up to max. 20 ml Glass Cleaning Agent are added to 1 bucket of water. The product features highest economy. Avoid overdoses; this can cause fat-like striation!





# Cleaning of hands

Fields of application / Product overview



## PUDOL SOFT

### Blanka SOFT

Item number: 1350

#### Application:

For easy removing of heavy to medium pol-lutions, like oils, greases, tar, bitumen, paints, printing inks, etc.

#### Packaging:

3 l can: 1350-00300  
10 l bucket: 1350-01000  
30 l bucket: 1350-03000  
250 ml tube: 1350-00025

#### Product type:

Hand cleaning paste

#### Nature of the product:

Slightly yellowish paste

#### Properties:

- It cleans hands from oils, greases, lubricants, dusts, various paints, printing inks, etc.
- Free from alkaline, silicone and solvents
- Suitable for dispenser systems
- pH-skin-neutral
- Moisturising



#### Dosage:

Rub your dirty hands with some Blank SOFT until dirt releases. Add some water, wash thor-oughly and rinse well.



## PUDOL SOFT

### Creme Soap Synta

Item number: 1300

#### Application:

For hygienic handwash

#### Packaging:

1 l bottle: 1300-00100  
10 l canister: 1300-01000

#### Product type:

Mild, skin-friendly soap lotion

#### Nature of the product:

Viscous liquid based on mild, skin-friendly substances. Rose coloured.

#### Properties:

High-grade, moisturising substances of vegeta-ble origin. It is especially suitable for dispenser systems!



#### Dosage:

Wet your dirty hands a bit and rub them with a bit of Soap Creme Synta, after that wash with fresh water.

## PUDOL SOFT

### Creme Soap Softi

Item number: 1320

#### Application:

For hygienic handwash

#### Packaging:

1 l bottle: 1320-00100  
10 l canister: 1320-01000

#### Product type:

Mild, skin-friendly soap lotion

#### Nature of the product:

White, viscous liquid based on mild, skin-friendly substances

#### Properties:

High-grade, moisturising substances of vegeta-ble origin. It is especially suitable for dispenser systems!



#### Dosage:

Wet your dirty hands a bit and rub them with a bit Soap Creme Softi, after that wash with fresh water.

## PUDOL SOFT

### Creme Soap Softi Antibacterial

Item number: 1321

#### Application:

For hygienic handwash

#### Packaging:

1 l bottle: 1321-00100  
10 l canister: 1321-01000

#### Product type:

Mild skin-friendly creme soap with antibacteri-al additives

#### Nature of the product:

Viscous liquid based on mild, skin-friendly substances

#### Properties:

High-grade, moisturising substances of vegeta-ble origin. Suitable for frequent application on slightly dirty hands. It is especially suitable for dispenser systems! **Caution:** Products for hy-gienic handwash do not replace the alcoholic preparations for hand disinfection!!



#### Dosage:

Wet your dirty hands a bit and rub them with a bit Soap Creme Softi Antibacterial, after that wash with fresh water. It is the best to dose it by the commercial hand press soap dispenser.





# HACCP

Fields of application / Product overview



## HACCP products for your successful hygiene concept

HACCP (hazard analysis and critical control points) is a quality tool that has been designed for the production of and handling of food. It is clearly structured and directed to preventive measures. The concept is used for avoiding hazards in connection with food that can cause disease or injuries of consumers.



We at PUDOL support you with the implementation of the HACCP concept in your company. For all areas of the hygiene plan we are offering the matching product to you. To ensure the legal reliability for your selection of the products, we got a series of products tested at the company „Chemical Check“, one of the most renowned provider in the area of chemical safety.

### PUDOL SOFT

#### Detergent and cleaning agent

Item number: 0100

##### Application:

Suitable for cleaning of porcelain, pots, plastic surfaces, varnished furniture, Resopal, enamel, mirrors, windows, floorings, and tiles.

##### Packaging:

1 l bottle: 0100-00100  
10 l canister: 0100-01000

##### Product type:

Neutral cleaning agent concentrate, universally usable

##### Nature of the product:

Slightly yellowish, clear liquid

##### Properties:

- Mild and equipped with skin-protecting components
- Has an excellent dirt-dissolving and fat-dissolving effect
- Well foaming
- Does not leave fat deposits
- Dishes dry with gloss



### PUDOL POWER

#### Cleaner for Bakeries

Item number: 1910

##### Application:

For the whole food area, especially machines, equipment, workbenches, ice machines, flooring and wall tiles, etc.

##### Packaging:

1 l bottle: 1910-00100  
10 l canister: 1910-01000

##### Product type:

Intensive cleaner, without added perfume

##### Nature of the product:

Colourless liquid, neutral in odour and taste

##### Properties:

- Wide range of application
- against pollutions of all kind
- Tested for the food area
- Aluminium is not attacked
- Odourless

### PUDOL CARE

#### EDOL Stainless-Steel Polish

Item number: 6190

##### Application:

Suitable for heavy-duty, commercial, stainless steel surfaces in the catering industry, hospitals and food-processing factories.

##### Packaging:

1 l bottle: 6190-00100  
10 l canister: 6190-01000

### PUDOL POWER

#### Disinfection cleaner Citrofresh

Item number: 1251

##### Application:

For application in the sanitary area. For enhanced demands in indoor swimming pools, shower cabins, toilets, washing rooms, etc.

##### Packaging:

10 l canister: 1251-01000

##### Product type:


Slightly acidic sanitary cleaner with disinfecting effect

##### Nature of the product:

Yellow liquid, fresh-smelling

##### Properties:

- It cleans and disinfects in one working cycle
- It affects bacteria and fungi, and is deodorising
- Sources of unpleasant odours are destroyed, hygienically clean surfaces are created
- Long-lasting fresh odour



##### Product type:

Neutral maintenance product

##### Nature of the product:

Colourless liquid

##### Properties:

- It leaves a dirt- and water-repellent, protective film on the surface
- It prevents lime scale
- It removes fingerprints and dried residues of water stains from metal claddings of lifts



### PUDOL SOFT

#### Manual Dishwashing Agent

Item number: 0121

##### Application:

Suitable for household, canteen kitchens, hotels, butcheries, schools, factories and hospitals.

##### Packaging:

1 l bottle: 0121-00100  
10 l canister: 0121-01000

##### Product type:

Dishwashing agent

##### Nature of the product:

Yellowish, clear liquid

##### Properties:

- Highly concentrated
- Economical in use
- Well foaming
- Does not leave fat deposits
- Dishes dry with gloss





# HACCP

## Fields of application / Product overview



### PUDOL CARE

#### Professional Kitchen Power Cleaner

Item number: 1920

**Application:**

Suitable for the whole kitchen area, for household as well as for canteen kitchens.

**Packaging:**

1 l bottle: 1920-00100  
10 l canister: 1920-01000

**Product type:**

Alkaline power cleaner

**Nature of the product:**

Colourless liquid

**Properties:**

- It cleans areas, where usual detergents and cleaning agents are not enough anymore
- Optimal dirt- and fat-dissolving properties
- Penetrates even very resistive fat films



### PUDOL SOFT

#### Presto Gloss Cleaner

Item number: 2535

**Application:**

For striation-free care of high-gloss finished plastic, ceramic and stone floorings.

**Packaging:**

1 l bottle: 2535-00100  
10 l canister: 2535-01000

**Product type:**

Neutral alcohol cleaner

**Nature of the product:**

Yellow liquid

**Properties:**

- Actively cleaning
- Pleasantly smelling
- Foam-inhibited
- Contains alcohol



### PUDOL POWER

#### Butcher's Shop Cleaner

Item number: 1900

**Application:**

For cleaning of machines in the food industry, especially butchery machines, workbenches, wall tiles, floorings, transport boxes, grills and deep fat fryers, etc.

**Packaging:**

1 l bottle: 1900-00100  
10 l canister: 1900-01000

**Product type:**

Intensive cleaner,  
without added perfume

**Nature of the product:**

Colourless liquid, neutral in odour  
and taste

**Properties:**

- Extremely strong fat-dissolving properties
- Already in cold water it takes full effect and improves more with increasing water temperature
- Compared with usual detergents, its activity is multiplied

### PUDOL CARE

#### Microsoft Care System

Item number: 6105

**Application:**

For stainless steel, chromium, ceramics, enamel, plastics, and all metals, especially suitable for ceramic glass hobs.

**Packaging:**

150 ml tube: 6105-00015

**Product type:**

Metal cleaning and maintenance creme,  
without ammonium chloride, with silicone

**Nature of the product:**

White paste

**Properties:**

- Non-toxic and acid-free
- It preserves and protects from corrosion
- It prevents oxidation and tarnishing of metals, water stains, and fingerprints
- Water drips off
- It does not leave any scratches or grooves





# An overview of our range of products

Experience quality on a completely new level, with the powerful products by PUDOL:



## **PUDOL Cleaning and maintenance products**

*Cleanliness refreshes your senses*

### **PUDOL SOFT**

Mild cleaning agent for sensitive materials

### **PUDOL CARE**

Maintenance product for high gloss and hygiene

### **PUDOL POWER**

Powerful cleaning agent for extreme pollution

### **PUDOL FRESH**

Cleaning agent for cleanliness and fresh air

### **Fields of application**

- + FLOORING
- + Sanitary area
- + Clothing care
- + Food industry
- + Household and gastronomy
- + Windows and glass
- + Dishwasher
- + Carpet and upholstery
- + Industry and workshop
- + Cars
- + Skin cleaning
- + Skin protection

### **Do you have any questions?**

Our Service Center PUDOL:

+49 (0) 2743 / 9212 – 0



## **COSMO Adhesives**

*Durably firm joints*

**COSMO CA** (Cyanoacrylates)

**COSMO PU** (Polyurethane adhesives)

**COSMO CL** (Cleaning agents)

**COSMO SL** (Dispersion adhesives)

**COSMO HD** (Hybrid adhesives)

**COSMO EP** (Epoxy-resin adhesives)

**COSMO DS** (Dispersion adhesives)

**COSMO SP** (Service products)

### **Fields of application**

- + Windows and doors
- + Transportation / Marine engineering
- + Industry
- + Assembly
- + Dry construction
- + Airtight bonding
- + Wood / Furniture industry
- + Container construction
- + Composite panels
- + Fire protection
- + Advertising industry

### **Do you have any questions?**

Our Service Center

Adhesives Division:

+49 (0) 2773 / 815 - 255

+49 (0) 2773 / 815 - 274



## **COSMO Composite Panels**

*Unlimited possibilities for design*

**COSMO Therm** (heat-insulating)

**COSMO Silent** (sound insulating)

**COSMO Protect** (burglar/penetration resistant)

**COSMO Design** (grooved)

**COSMO Tech** (individual)

**COSMO Frame** (frame widening)

### **Fields of application**

- + Window and façade
- + Door construction
- + Industry
- + Automotive manufacturing
- + Trailer construction
- + Partition panel construction
- + Gate construction
- + Container construction
- + Energy conservation
- + Fire protection
- + Burglar resistance
- + Sound proofing

### **Do you have any questions?**

Our Service Center

Composite Panels Division:

+49 (0) 2773 / 815 - 311

Our Service Center

Façade Division:

+49 (0) 5245 / 9241 - 21

# PUDOL



*A subsidiary of the  
Weiss Group*

*Cleanliness refreshes your senses*

Pudol Chemie GmbH & Co. KG  
Bahnhofstr. 2  
D-57520 Niederdreisbach

Phone: +49 (0) 2743 / 9212 – 0

Fax: +49 (0) 2743 / 9212 – 71

E-mail: [info@pudol.de](mailto:info@pudol.de)

[www.pudol.de](http://www.pudol.de)

# weiss



Plant I  
Weiss Chemie + Technik  
GmbH & Co. KG  
Hansastr. 2  
D-35708 Haiger

Phone: +49 (0) 2773 / 815 - 0

Fax: +49 (0) 2773 / 815 - 200

E-mail: [ks@weiss-chemie.de](mailto:ks@weiss-chemie.de)

[www.weiss-chemie.de](http://www.weiss-chemie.de)

*made by weiss*

Plant II  
Weiss Chemie + Technik  
GmbH & Co. KG  
Siemensstr. 8  
D-33442 Herzebrock-Clarholz

Phone: +49 (0) 5245 / 9241 - 0

Fax: +49 (0) 02773-815-300

E-mail: [se@weiss-chemie.de](mailto:se@weiss-chemie.de)