Opal Sealant

Self-glossy dispersion







Area of application:

For all plastic floorings, PVC, asphalt-tiles, rubber, perfectly sealed parquet, natural and artificial stone

Especially suitable for linoleum floorings.

For the safe protection of heavily loaded floors against wearing and facilitates daily maintenance cleaning.

Lifetime of parquet sealing can be extended essentially.

Properties:

- Conditionally polishable
- Extremely wear-resistant
- Non-slip
- High-gloss film
- Water-resistant and resistant to cleaning agent
- dries glass clear and free from yellowing
- It fills pores well due to high percentage of solid particles
- Suitable for high-speed methods

Technical data:

Nature of the product	Liquid
Colour	White
pH-value (concentrate)	approx. 9
pH-value (1 %)	approx. 8

Application:

Clean the floor with a suitable basic cleaner, e.g. **PUDOL Basic Cleaner Beta**, wipe it with clear water and allow it to dry. It is important that all residues of the basic cleaner used are removed thoroughly!

Homogenously apply a thin layer of self-glossy dispersion product on the neutralised, dry floor using a clean wiper of lambskin. Allow it to dry well.

After a waiting time of at least 1 hour (depending on the local conditions) apply a second, thin film in transverse direction.

Application	Dosing
One application: enough for approx. 25 m ²	11
Two applications: enough for approx. 25 m ²	1.5 l

These are only guiding values; if the surfaces are very absorbent, higher consumption values must be planned.

The protective film can be wiped off with **PUDOL Combi 3 PLUS** after 2 to 3 days without impairing gloss and durability. For new application, at first wipe with clear water. Do not use cleaners that include phosphate or ammonia.

The self-glossy dispersion can be removed with PUDOL Basic Cleaner Beta.

Storage:

Protect from frost!

Always keep containers well closed, out of sunlight and out of reach of children. Do not expose to high temperatures.



Page 1/2

Technical Information

Opal Sealant

Self-glossy dispersion



In closed original trading units at room temperature it is stable for at least 24 months.

Packaging unit: Art.No.: 2630 - 00100 1 I bottle, 12 pieces in cardboard box

> Art.No.: 2630 - 01000 10 I canister, 60 canisters per pallet

Other trading units on request.

Special information: For commercial use only.

> The characteristics mentioned here are not binding. We reserve the right to make certain changes due to product improvements or necessary raw material replacement. Users are responsible for checking the suitability of the products for use on materials not mentioned. Our advice is therefore

non-binding and cannot be used as a basis for liability claims against us.

Please, also consider the Safety Data Sheet!



Page 2/2